

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Jones, David Operator Well No.: O.D. Stockly #16

LOCATION: Elevation: 1215 GPS Quadrangle: Newton  
District: Henry County: Clay  
Latitude: 38.539542 Feet South of 38 Deg. 32 Min. 22.35 Sec.  
Longitude: -81.144189 Feet West of 81 Deg. 8 Min. 39.08 Sec.

Well Type: OIL \_\_\_\_\_ GAS water inj.

east.ing 0487434  
north.ing 4265691

Company Triad Hunter LLC  
125 Putnam Street  
Marietta, Ohio 45750

Coal Operator N/A  
or Owner \_\_\_\_\_

**Received**  
**Office of Oil & Gas**

Agent Kim Arnold  
Permit Issued Date 4-23-2014

Coal Operator N/A  
or Owner \_\_\_\_\_

SEP 23 2014

AFFIDAVIT


STATE OF WEST VIRGINIA,  
County of Clay ss:

Rickey Duckworth and Robert Stewart being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 8 day of September, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
cement	2150	1900	1250 of 4 1/2	847
cement	1280	1130		
cement	100	0		

Description of monument: 5 in. pipe with API no. on attached plate and that the work of plugging and filling said well was completed on the 18 day of September, 2014.

And further deponents saith not. Rickey Duckworth  
Robert A. Stewart



Sworn and subscribe before me this 18 day of September, 2014

My commission expires: 10-25-2023

Brian Marks  
Notary Public

Did not witness all plugs  
10/6/14

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Bullard Arley Operator Well No.: R.P.Parker(J.Reed) #20694

LOCATION: Elevation: 1175' GPS Quadrangle: Newton

District: Henry County: Clay

Latitude: 38.5375822 Feet South of 38 Deg. 32 Min. 15.2952 Sec.

Longitude: -81.1406958 Feet West of -81 Deg. 8 Min. 26.5056 Sec.

Well Type: OIL \_\_\_\_\_ GAS Liquid Injection

*easting 0487738  
northing 4265473*

Company Triad Hunter LLC  
125 Putnam Street  
Marietta, Ohio 45750

Coal Operator N/A  
or Owner \_\_\_\_\_

Agent Kim Arnold

Coal Operator N/A  
or Owner \_\_\_\_\_

Permit Issued Date 5-08-14

**Received**  
**Office of Oil & Gas**

SEP 30 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Clay ss:

Rickey Duckworth and Robert Stewart

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 19 day of September, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
cement	2100	2000	none 4 1/2 cemented to surface	2164'
cement	1225	1125		
cement	100	0		

Description of monument: 4 1/2 pipe with API# on attached plate  
said well was completed on the 22 day of September, 2014.

and that the work of plugging and filling


And further deponents saith not.

*Rickey Duckworth*  
*Robert A. Stewart*

Sworn and subscribe before me this 29 day of September, 2014

My commission expires: 10-25-2023

Brian Marks  
Notary Public



*Did not witness all plugs  
10/2/14*

Received  
Office of Oil & Gas  
OCT 06 2014

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Heldreth, B.B. Operator Well No.: 1 A-E-95

LOCATION: Elevation: 1,299' Quadrangle: Wallace 7.5'  
District: Eagle County: Harrison  
Latitude: \_\_\_\_\_ Feet South of \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.  
Longitude: \_\_\_\_\_ Feet West of \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.

Well Type: OIL \_\_\_\_\_ GAS X

Company	<u>XTO Energy Inc.</u>	Coal Operator	<u>Guy Corporation</u>
	<u>PO Box 1008</u>	or Owner	<u>92 16th St.</u>
	<u>Jane Lew, WV 26378</u>		<u>Wheeling, WV 26003</u>
Agent	<u>Gary Beall</u>	Coal Operator	<u>Virginia Tetrick Estate</u>
		or Owner	<u>92 16th St.</u>
Permit Issued Date	<u>5/27/2014</u>		<u>Wheeling, WV 26003</u>

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Levis ss:


Stan Louther and Tom Dille being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 2nd day of September, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
1	4738	4115	1 1/2" 4738	0
1	3820	3328		
1	2800	2650		
1	1730	1550	4 1/2" 1730	3045'
1	1375	1200	8 5/8" - 0	Cemented To Surface
1	500	400		
1	215	Surface		

Description of monument: 4.5" casing x 10' long and that the work of plugging and filling said well was completed on the 9th day of September, 2014.

And further deponents saith not. Stan Louther  
Tom Dille

Sworn and subscribe before me this 10th day of September, 2014.



My commission expires: 12/22/18

Tim Sands  
Notary Public

Affidavit reviewed by the Office of Oil and Gas: S. J. DeBartolo III Title: 9/30/2014 OOG Inspector

33-05189

WR-38  
31-Jul-09

STATE OF WEST VIRGINIA  
DIVISION OF ENVIRONMENTAL PROTECTION  
SECTION OF OIL AND GAS  
AFFIDAVIT OF PLUGGING AND FILLING WELL

API:  
033 - 05189

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator, and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: Denzil W. McIntire Operator Well No. McIntire 2187H  
 LOCATION: Elevation: 1,339' Quadrangle: Shinnston 7.6'  
 District: Clay  
 Latitude: 8,600' feet South of 39 DEG. 27' MIN. 30" SEC.  
 Longitude: 2,630' feet West of 80 DEG. 17' MIN. 30" SEC.  
 Well Type: OIL X GAS \_\_\_\_\_  
 Company: XTO Energy, Inc. Coal Operator: Donald Puglio  
P.O. Box 1008 Consol Energy  
Jane Low, WV 26378 CNX Center  
 Agent: Gary Beall Coal Owner: 1000 Consol Energy Drive  
 Permit issued: December 26, 2008

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of

59509 BOYAN

ss: Paul Beallock  
and

being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil & gas wells and were employed by the above named well operator and participated in the work of plugging and filling the above well, and Oil and Gas Inspector representing the Director, say that said work was commenced on the 17th day of May-10 and that the well was plugged and filled in the following manner:

Received  
Oil & Gas  
6-2-10


TYPE	FROM	TO	PIPE REMOVED	LEFT
Class A	307'	0'	None	307' 13 1/2"
1 1/2 Gal.				

Description of Monument 3' length of 12 1/2"  
and that the work of plugging and filling said well was completed on the 17th day of May-10, and further deponents saith not.

Signature: \_\_\_\_\_  
Signature: Paul Beallock

Sworn and subscribe before me this 19th day of May, 20 10  
Notary Timothy Sands  
My commission expires: December 22, 2010

Tim Beallock 6-2-10  
Oil & Gas Inspector



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON  
District  
MARION  
County  
5126  
Well No.  
CONSOLIDATION COAL COMPANY  
Farm

STATE INSPECTOR SUPERVISING PLUGGING Beth Handberg 10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

ROGER MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 9<sup>th</sup> day of July, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 276'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 276' to 760'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 760' to 1715'. Cleaned 7 7/8" hole through the Pittsburgh Coal seam from 786' to 793'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1715' to 2438'. Left 268' of 8 5/8" casing in the hole from 1054' to 1322'. Remaining 8 5/8" casing was cut at the following depths: 1216' and 1126'. Cemented bottom hole with 325 sacks of Expandable Cement. Tagged top of bottom hole plug at 1000'.		16" Conductor	0'	20'
		8 5/8"	0'	268'
<p>Received Office of Oil &amp; Gas OCT 02 2014</p>				
<u>Cemented hole from 1000' back to surface as follows:</u>				
From 1000' to 652' with 170 sacks of Thixotropic Cement with green dye. From 652' back to the Surface with 410 sacks of Expandable Cement. Cement did circulate at the Surface. Left 20' of 16" conductor casing in the hole from Surface to 20'.				
Coal Seams	Description of Monument			
Pittsburgh (786' - 793')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.			

... and that the work of plugging and filling said well was completed on the 25<sup>th</sup> day of July, 2014

And further deponents saith not.


Roger Moore  
Roger Moore

Kevin S. Wright  
Kevin S. Wright

Sworn to and subscribed before me this 8<sup>th</sup> day of September 2014

Kara Beth Forst  
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02311-P  
Well No. 5126

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON  
District  
MARION  
County  
5127  
Well No.  
CONSOLIDATION COAL COMPA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Hendrick* 10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

BRETT HOWELL and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 18<sup>th</sup> day of July, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from Surface to 138'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 138' to 1185'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 750' to 757'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1185' to 1195'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1195' to 1201'. Tagged solid plug at 1201'.  <u>Cemented hole from 1201' back to surface as follows:</u> From 1201' to 982' with 90 sacks of Expandable Cement. From 982' to 636' with 195 sacks of Thixotropic Cement with green dye. From 636' back to the Surface with 300 sacks of Expandable Cement. Cement did circulate at the Surface. Left 20' of 16" conductor casing in the hole from Surface to 20'.	16" Conductor	0'	20'	
<b>Coal Seams</b>	<b>Description of Monument</b>			
<u>Pittsburgh</u>	<u>(750' - 757')</u>	<u>77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.</u>		

Received  
Office of Oil & Gas  
OCT 02 2014

... and that the work of plugging and filling said well was completed on the 30<sup>th</sup> day of July, 2014

And further deponents saith not.

*Brett Howell*  
Brett Howell

*Kevin S. Wright*  
Kevin S. Wright

Sworn to and subscribed before me this 9th day of September 2014

*Kara Beth Forst*  
Notary Public

My commission expires 4/23



Permit No. 47-049-02313-P  
Well No. 5127

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON  
District  
MARION  
County  
5059  
Well No.  
CONSOLIDATION COAL COMPA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING

*Bill Handberg* 10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

**MICHAEL MITCHELL** and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 1<sup>st</sup> day of August, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 322'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 322' to 992'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 679' to 685'. Tagged top of 8 5/8" casing at 992'. Left 178' of 8 5/8" casing in the hole from 992' to 1170'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole through 8 5/8" casing from 992' to 1170'. Continued cleaning 7 7/8" hole from 1170' to 1367'. Reduced hole to 6 1/4". Tagged bottom plug at 1367'.		16" Conductor	0'	12'
		8 5/8"	0'	178'
<p><b>Received</b> <b>Office of Oil &amp; Gas</b> OCT 02 2014</p>				
<b>Cemented hole from 1367' back to surface as follows:</b>				
From 1367' to 885' with 117 sacks of Expandable Cement. From 885' to 579' with 180 sacks of Thixotropic Cement with dye. From 579' back to the Surface with 298 sacks of Expandable Cement. Cement did circulate at the Surface. Left 12' of 16" conductor casing in the hole from Surface to 12'.				
Coal Seams		Description of Monument		
Pittsburgh	(679' - 685')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 12<sup>th</sup> day of August, 2014

And further deponents saith not.


*Michael Mitchell*  
Michael Mitchell

*Kevin S. Wright*  
Kevin S. Wright

Sworn to and subscribed before me this 15<sup>th</sup> day of September 2014

*Kara Beth Forst*  
Notary Public

My commission expires: 11/4/23



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON  
District  
MARION  
County  
5108  
Well No.  
CONSOLIDATION COAL COMPA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING

*Bill Henscheid*

10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

**RUSSELL SMALLWOOD** and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 31<sup>st</sup> day of July, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 232'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 232' to 951'. Tagged top of 8 5/8" casing at 951'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 651' to 1674'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1674' to 1684'. Tagged solid plug at 1684'. Removed 374' of 8 5/8" casing from 951' to 1325'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1101' to 1108'. Left 260' of 8 5/8" casing in the hole from 1325' to 1585'.		16" Conductor 8 5/8" Casing	0' 374"	20' 260'
<p><b>Received</b> <b>Office of Oil &amp; Gas</b> <b>OCT 02 2014</b></p>				
<u>Cemented hole from 1684' back to surface as follows:</u> From 1684' to 1308' with 90 sacks of Expandable Cement. From 1308' to 1001' with 130 sacks of Thixotropic Cement with green dye. From 1001' back to the Surface with 390 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.				
<b>Coal Seams</b>		<b>Description of Monument</b>		
<b>Pittsburgh</b>	<b>(1101' - 1108')</b>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 15<sup>th</sup> day of August, 2014

And further deponents saith not.


*Russell Smallwood*  
Russell Smallwood

*Kevin S. Wright*  
Kevin S. Wright

Sworn to and subscribed before me this 12 day of September 2014

*Kara Beth Forst*  
Notary Public

My commission expires: 11/1/23



Permit No. 47-049-02318-P  
Well No. 5108

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554

CONSOLIDATION COAL CO.  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554

Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON

District  
MARION  
County  
5060

Well No.  
CONSOLIDATION COAL COMPA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING

*Bill Hancock* 10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

**MICHAEL MITCHELL** and **STEPHAN MOATS** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 14<sup>th</sup> day of August, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Removed 727' of 2 3/8" tubing from Surface to 727'. Cleaned 12 1/2" hole from Surface to 203'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 203' to 1077'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1077' to 1368'. Tagged top of 8 5/8" casing at 1209'. Left 123' of 8 5/8" casing in the hole from 1209' to 1332'. Tagged bottom plug at 1368'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 861' to 868'.		16" Conductor	0'	16'
		8 5/8"	0'	123'
		2 3/8"	727'	0'
<b>Cemented hole from 1368' back to surface as follows:</b> From 1368' to 1068' with 117 sacks of Expandable Cement. From 1068' to 761' with 190 sacks of Thixotropic Cement with dye. From 761' back to the Surface with 423 sacks of Expandable Cement. Cement did circulate at the Surface. Left 16' of 16" conductor casing in the hole from Surface to 16'.				
<b>Coal Seams</b>		<b>Description of Monument</b>		
<b>Pittsburgh</b>	<b>(861' - 868')</b>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

Received  
Office of Oil & Gas  
OCT 02 2014

... and that the work of plugging and filling said well was completed on the 27<sup>th</sup> day of August, 2014

And further deponents saith not.


*Michael P. Mitchell*  
Michael Mitchell

*Stephan E. Moats*  
Stephan Moats

Sworn to and subscribed before me this 29 day of September 2014

*Kara Beth Forst*  
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02322-P  
Well No. 5060

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
JEFFREY MICHAEL  
Lease or Property Owner  
PO BOX 211, MANNINGTON, WV 26582  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON  
District  
MARION  
County  
5107  
Well No.  
MICHAEL, JEFFREY  
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Haskins* 10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 16<sup>th</sup> day of July, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 335'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 335' to 1448'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1131' to 1138'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1448' to 1582'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1582' to 1610'. Left 99' of 8 5/8" casing in the hole from 1502' to 1601'.		16" Conductor 8 5/8" Casing	0' 0"	20' 99'
<p><b>Received</b> <b>Office of Oil &amp; Gas</b> <b>OCT 02 2014</b></p>				
<u>Cemented hole from 1610' back to surface as follows:</u> From 1610' to 1338' with 76 sacks of Expandable Cement. From 1338' to 1031' with 155 sacks of Thixotropic Cement with green dye. From 1031' back to the Surface with 392 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.				
<b>Coal Seams</b>		<b>Description of Monument</b>		
<u>Pittsburgh</u>	<u>(1131' - 1138')</u>	<u>77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.</u>		

... and that the work of plugging and filling said well was completed on the 28<sup>th</sup> day of July, 2014

And further deponents saith not.


*Mark Wilson*  
Mark Wilson

*Kevin S. Wright*  
Kevin S. Wright

Sworn to and subscribed before me this 15<sup>th</sup> day of September 2014

*Kara Beth Forst*  
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02324-P  
Well No. 5107

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON  
District  
MARION  
County  
5109  
Well No.  
CONSOLIDATION COAL COMPA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING Bill Hunsucker 10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

RUSSELL SMALLWOOD and STEPHAN MOATS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 18<sup>th</sup> day of August, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/2" hole from Surface to 238'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 238' to 1053'. Tagged top of 8 5/8" casing at 1053'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1053' to 1733'. Tagged solid plug at 1733'. Removed 340' of 8 5/8" casing from 1053' to 1393'. Left 259' of 8 5/8" casing in the hole from 1393' to 1652'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1181' to 1187'.		16" Conductor 8 5/8" Casing	0' 340'	20' 259'
<b>Cemented hole from 1733' back to surface as follows:</b> From 1733' to 1387' with 76 sacks of Expandable Cement. From 1387' to 1081' with 140 sacks of Thixotropic Cement with green dye. From 1081' back to the Surface with 444 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.		Received Office of Oil & Gas OCT 06 2014		
Coal Seams		Description of Monument		
Pittsburgh	(1181' - 1187')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 2<sup>nd</sup> day of September, 2014


And further deponents saith not.

Russell Smallwood  
Russell Smallwood  
Stephan Moats  
Stephan Moats

Sworn to and subscribed before me this 2 day of October 2014

Kara Beth Forst  
Notary Public

My commission expires: 11/4/13



Permit No. 47-049-02325-P  
Well No. 5109

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON  
District  
MARION  
County  
5044  
Well No.  
CONSOLIDATION COAL COMPA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]* 10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

MICHAEL MITCHELL and STEPHAN MOATS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 28<sup>th</sup> day of August, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from Surface to 347'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 347' to 1198'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1198' to 1201'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 851' to 858'.  <u>Cemented hole from 1201' back to surface as follows:</u> From 1201' to 1058' with 55 sacks of Expandable Cement. From 1058' to 751' with 155 sacks of Thixotropic Cement with dye. From 751' back to the Surface with 375 sacks of Expandable Cement. Cement did circulate at the Surface. Left 15' of 16" conductor casing in the hole from Surface to 15'.	16" Conductor	0'	15'	
<b>Coal Seams</b>		<b>Description of Monument</b>		
<u>Pittsburgh</u>	<u>(851' - 858')</u>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

Received  
Office of Oil & Gas  
OCT 02 2014

... and that the work of plugging and filling said well was completed on the 9<sup>th</sup> day of September, 2014

And further deponents saith not.


*[Signature]*  
Michael Mitchell

*[Signature]*  
Stephan Moats

Sworn to and subscribed before me this 29 day of September 2014

*[Signature]*  
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02326-P  
Well No. 5044

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON  
District  
MARION  
County  
5557  
Well No.  
CONSOLIDATION COAL COMPA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Handcock* 10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

RUSSELL SMALLWOOD and STEPHAN MOATS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 3<sup>rd</sup> day of September, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/2" hole from Surface to 220'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 220' to 1606'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1181' to 1188'. Tagged top of 7" casing at 1606'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1606' to 2107'. Tagged solid plug at 2107'. Left an unknown amount of 7" casing in the hole from 1606' to and unknown depth.		16" Conductor  7" Casing	0'  0'	16'  Unknown
<u>Cemented hole from 2107' back to surface as follows:</u> From 2107' to 1388' with 145 sacks of Expandable Cement. From 1388' to 1081' with 165 sacks of Thixotropic Cement with green dye. From 1081' back to the Surface with 460 sacks of Expandable Cement. Cement did circulate at the surface. Left 16' of 16" conductor casing in the hole from the surface to 16'.				
Coal Seams		Description of Monument		
Pittsburgh	(1181' - 1188')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

Received  
Office of Oil & Gas  
OCT 02 2014

... and that the work of plugging and filling said well was completed on the 12<sup>th</sup> day of September, 2014

And further deponents saith not.

*Russell Smallwood*  
Russell Smallwood  
*Stephan C Moats*  
Stephan Moats

Sworn to and subscribed before me this 1 day of October 2014

*Kara Beth Forst*  
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02327-P  
Well No. 5557

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL CO.  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
GLOVER GAP 7.5'  
Well Location  
MANNINGTON  
District  
MARION  
County  
5046  
Well No.  
CONSOLIDATION COAL COMPA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING Bill Hardsch 10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

DELBERT MOORE and STEPHAN MOATS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 15<sup>th</sup> day of August, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from Surface to 332'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 332' to 1248'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1248' to 1260'. Tagged solid plug at 1260'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 989' to 996'.		16" Conductor	0'	20'
<p>Received Office of Oil &amp; Gas OCT 02 2014</p>				
<u>Cemented hole from 1260' back to surface as follows:</u> From 1260' to 889' with 215 sacks of Thixotropic Cement with green dye. From 889' back to the Surface with 430 sacks of Expandable Cement. Cement did circulate at the Surface. Left 20' of 16" conductor casing in the hole from Surface to 20'.				
<u>Coal Seams</u>		<u>Description of Monument</u>		
<u>Pittsburgh</u>	(989' - 996')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 2<sup>nd</sup> day of September, 2014

And further deponents saith not.

Delbert Moore  
Delbert Moore  
Stephan C. Moats  
Stephan Moats

Sworn to and subscribed before me this 29 day of September 2014

Kara Forst  
Notary Public

My commission expires: 11/4/23



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

**CONSOLIDATION COAL COMPANY**  
Coal Operator or Owner  
**1 BRIDGE STREET MONONGAH, WV 26554**  
Address  
**CONSOLIDATION COAL COMPANY**  
Coal Operator or Owner  
**1 BRIDGE STREET MONONGAH, WV 26554**  
Address  
**JEFFREY H. MICHAEL**  
Lease or Property Owner  
**PO BOX 221 MANNINGTON, WV 26582**  
Address

**CONSOLIDATION COAL CO.**  
Name of Well Operator  
**1 BRIDGE STREET MONONGAH, WV 26554**  
Complete Address  
**GLOVER GAP 7.5'**  
Well Location  
**MANNINGTON**  
District  
**MARION**  
County  
**5137**  
Well No.  
**MICHAEL, JEFFREY H.**  
Farm

STATE INSPECTOR SUPERVISING PLUGGING Bill Heuback 10-2-14

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

**DELBERT MOORE** and **STEPHAN MOATS** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 3<sup>rd</sup> day of September, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/8" hole from Surface to 194'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 194' to 1356'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1356' to 1370'. Reduced hole to 6 1/4". Tagged solid plug at 1370'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1075' to 1082'.		16" Conductor	0'	20'
<p><b>Received</b> <b>Office of Oil &amp; Gas</b> <b>OCT 02 2014</b></p>				
<b>Coal Seams</b>		<b>Description of Monument</b>		
<b>Pittsburgh</b>	<b>(1075' - 1082')</b>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 15<sup>th</sup> day of September, 2014


And further deponents saith not.

Delbert Moore  
Delbert Moore  
Stephan C Moats  
Stephan Moats

Sworn to and subscribed before me this 29 day of September 2014

Kara Beth Foust  
Notary Public

My commission expires: 11/4/14



Permit No. 47-049-02337-P  
Well No. 5137

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS  
Coal Operator or Owner  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS  
Name of Well Operator  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Complete Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS  
Coal Operator or Owner  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Address  
CHARLES ALBERT WITSBERGER II  
Lease or Property Owner  
250 DRY RIDGE ROAD CAMERON, WV 26033  
Address

MAJORSVILLE, WV 7.5'  
Well Location  
WEBSTER  
District  
MARSHALL  
County  
SGW-157  
Well No.  
CHARLES ALBERT WITSBERGER II  
Farm

STATE INSPECTOR SUPERVISING PLUGGING

*James W. Wilson*  
\_\_\_\_\_  
AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 31<sup>st</sup> day of July, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing / Tubing Size	Casing Pulled	Casing Left In	
Cleaned 3 7/8" hole from Surface to 1845'. Left 1845' of 4 1/2" casing in the hole from Surface to 1845'. Cut remaining 4 1/2" casing at the following depths: 1761' and 1661'. Perforated remaining 4 1/2" casing with 6 Shots at the following depths: 1556', 1454', 1352', 1254', 1153', 1055', and 956'. Cemented bottom hole plug from 1845' to 855' with 55 sacks of Expandable Cement. Left 526' of 7" casing in the hole from 1129' to 1655'. Left 978' of 8 5/8" casing in the hole from 151' to 1129'. Left 49' of 10 3/4" casing in the hole from 102' to 151'. Jet cut 4 1/2", 7", 8 5/8", and 10 3/4" casings at the following depths: 840', 806', 752', 706', 657', 655', 653', 651', 649', 647', 598', and 547'. Jet cut 4 1/2", 7", 8 5/8", and 10 3/4" casings through the Pittsburgh Coal seam from 649' to 655'. Left 102' of 13 3/8" conductor casing in the hole from Surface to 102'.		13 3/8" Casing	0'	102'	
			10 3/4" Casing	0'	49'
			8 5/8" Casing	0'	978'
			7" Casing	0'	526'
			4 1/2" Casing	0'	1845'
<u>Cemented hole from top of bottom hole plug at 855' to surface as follows:</u>					
From 855' to 549' with 30 sacks of Thixotropic Cement with green dye. From 549' to the surface with 50 sacks of Expandable Cement. Cement did circulate at the surface.					
<b>Coal Seams</b>		<b>Description of Monument</b>			
<b>Pittsburgh Coal</b>	649' to 655'	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing .Well marker attached to the cement plug at ground level.			
(Name)					
(Name)					
(Name)					

Received  
Office of Oil & Gas  
OCT 07 2014

... and that the work of plugging and filling said well was completed on the 15<sup>th</sup> day of August, 2014

And further deponents saith not.


*Mark Wilson*  
\_\_\_\_\_  
Mark Wilson

*Kevin Wright*  
\_\_\_\_\_  
Kevin Wright

Sworn to and subscribed before me this 6 day of October 2014

*Kara Beth Forst*  
\_\_\_\_\_  
Notary Public

My commission expires: 11/4/23



Permit No. 47-051-00415-P  
Well No. SGW-157

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

**CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS**  
Coal Operator or Owner  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Address

**CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS**  
Name of Well Operator  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Complete Address

**CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS**  
Coal Operator or Owner  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Address  
**CHARLES ALBERT WITSBERGER II**  
Lease or Property Owner  
250 DRY RIDGE ROAD CAMERON, WV 26033  
Address

**MAJORSVILLE, WV 7.5'**  
Well Location  
**WEBSTER**  
District  
**MARSHALL**  
County  
**SGW-149**  
Well No.  
**CHARLES ALBERT WITSBERGER II**  
Farm

STATE INSPECTOR SUPERVISING PLUGGING *James T. [Signature]*  
AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

**MARK WILSON** and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 16<sup>th</sup> day of August, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing / Tubing Size	Casing Pulled	Casing Left In
Cleaned 4 1/4" hole from Surface to 1789'. Left 1714' of 5 1/2" casing in the hole from Surface to 1714'. Cut remaining 5 1/2" casing at the following depths: 1820', 1503', 1406', 1310', 1218', 1121', 1023', 901', 803', and 706'. Perforated remaining 5 1/2" casing with 6 Shots at the following depths: 999', 899', 798', 748', 698', and 648'. Cemented bottom hole plug from 1789' to 797' with 85 sacks of Expandable Cement and 10 sacks of Thixotropic Cement with green dye. Left 655' of 8 5/8" casing in the hole from Surface to 655'. Jet cut 5 1/2" and 8 5/8" casing at the following depths: 600', 598', 596', 594', 592', 590', 542', and 492'. Jet cut 5 1/2" and 8 5/8" casing through the Pittsburgh Coal seam from 591' to 597'. Left 66' of 13 3/8" conductor casing in the hole from Surface to 66'.		13 3/8" Casing	0'	66'
		8 5/8" Casing	0'	655'
		5 1/2" Casing	0'	1714'
<p><b>Cemented hole from top of bottom hole plug at 797' to surface as follows:</b></p> <p>From 797' to 491' with 65 sacks of Thixotropic Cement with green dye. From 491' to the surface with 60 sacks of Expandable Cement. Cement did circulate at the surface.</p>				
<b>Coal Seams</b>		<b>Description of Monument</b>		
<b>Pittsburgh Coal</b>	591' to 597'	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing .Well marker attached to the cement plug at ground level.		

Received  
Office of Oil & Gas  
OCT 07 2014

... and that the work of plugging and filling said well was completed on the 28<sup>th</sup> day of August, 2014

And further deponents saith not.

*Mark Wilson*  
Mark Wilson


*Kevin Wright*  
Kevin Wright

Sworn to and subscribed before me this 6 day of October 2014

*Kara Beth Forst*  
Notary Public

My commission expires: 11/4/23

Permit No. 47-051-00471-P  
Well No. SGW-149



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS  
Coal Operator or Owner  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS  
Name of Well Operator  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Complete Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS  
Coal Operator or Owner  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Address  
CHARLES ALBERT WITSBERGER II  
Lease or Property Owner  
250 DRY RIDGE ROAD CAMERON, WV 26033  
Address

MAJORSVILLE, WV 7.5'  
Well Location  
WEBSTER  
District  
MARSHALL  
County  
SGW-148  
Well No.  
CHARLES ALBERT WITSBERGER II  
Farm

STATE INSPECTOR SUPERVISING PLUGGING Jane Walker

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 29<sup>th</sup> day of August, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing / Tubing Size	Casing Pulled	Casing Left In
<p>Cleaned 3 1/2" hole from Surface to 1866'. Left 1984' of 4 1/2" casing in the hole from Surface to 1984'. Cut remaining 4 1/2" casing at the following depths: 1835', 1735', 1635', 1535', 1435', 1336', and 734'. Perforated remaining 4 1/2" casing with 6 Shots at the following depths: 1592', 1496', 1396', 1296', 1196', 1097', and 997'. Cemented bottom hole plug from 1866' to 895' with 55 sacks of Expandable Cement. Left 1788' of 7" casing in the hole from Surface to 1788'. Left 1200' of 8 5/8" casing in the hole from Surface to 1200'. Left 620' of 10 3/4" casing in the hole from Surface to 620'. Jet cut 4 1/2", 7", 8 5/8", and 10 3/4" casings at the following depths: 901', 851', 800', 750', 701', 700', 698', 696', 694', 692', 690', 688', 592', and 542'. Jet cut 4 1/2", 7", 8 5/8", and 10 3/4" casings through the Pittsburgh Coal seam from 690' to 695'. Left 154' of 13 3/8" conductor casing in the hole from Surface to 154'.</p> <p><u>Cemented hole from top of bottom hole plug at 895' to surface as follows:</u></p> <p>From 895' to 590' with 35 sacks of Thixotropic Cement with green dye. From 590' to the surface with 50 sacks of Expandable Cement. Cement did circulate at the surface.</p>		13 3/8" Casing	0'	154'
		10 3/4" Casing	0'	620'
		8 5/8" Casing	0'	1200'
		7" Casing	0'	1788'
		4 1/2" Casing	0'	1984'
<b>Coal Seams</b>		<b>Description of Monument</b>		
<b>Pittsburgh Coal</b>	690' to 695'	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker attached to the cement plug at ground level.		

Received  
Office of Oil & Gas  
OCT 07 2014

... and that the work of plugging and filling said well was completed on the 15<sup>th</sup> day of September, 2014

And further deponents saith not.


Mark Wilson  
Mark Wilson

Kevin Wright  
Kevin Wright

Sworn to and subscribed before me this 6 day of October 2014

Kara Beth Forst  
Notary Public

My commission expires: 11/4/23



Permit No. 47-051-00646-P  
Well No. SGW-148

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
WALLACE 7.5'  
Well Location  
GRANT  
District  
WETZEL  
County  
6618-B  
Well No.  
CONSOLIDATION COAL COMPA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING Jane Wallace  
AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

MICHAEL CAMPBELL and STEPHAN MOATS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 19<sup>th</sup> day of August, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
<u>Formation</u>				
Cleaned 12 1/4" hole from Surface to 290'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 290' to 1161'. Tagged top of 8 5/8" casing at 1161'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1161' to 1293'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1293' to 2306'. Tagged solid plug at 2306'. Left an unknown amount of 7" casing in the hole from 2086' to an unknown depth. Cemented bottom hole plug from 2306' to 1631' with 160 sacks of Expandable Cement. Removed 200' of 8 5/8" casing from 1161' to 1361'. Left 273' of 8 5/8" casing in the hole from 1361' to 1634'. Cleaned 9 7/8" hole from 1161' to 1361'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1361' to 1631'. Tagged bottom hole plug at 1631'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1150' to 1156'.	16" Conductor	0'	20'	
		8 5/8" Casing	200'	273
		7"	0'	Unknown
<u>Cemented hole from 1631' back to surface as follows:</u> From 1631' to 1356' with 53 sacks of Expandable Cement. From 1356' to 1050' with 170 sacks of Thixotropic Cement with dye. From 1050' back to the Surface with 462 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.				
<u>Coal Seams</u>		<u>Description of Monument</u>		
<u>Pittsburgh</u>	(1150' - 1156')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

Received  
Office of Oil & Gas  
OCT 07 2014

... and that the work of plugging and filling said well was completed on the 11<sup>th</sup> day of September, 2014


And further deponents saith not.

Michael Campbell  
Michael Campbell  
Stephan Moats  
Stephan Moats

Sworn to and subscribed before me this 1 day of October 2014

Kara Beth Forst  
Notary Public

My commission expires: 11/4/23



Permit No. 47-103-03008-P  
Well No. 6618-B

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

**CONSOLIDATION COAL COMPANY**  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
**CONSOLIDATION COAL COMPANY**  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
**CONSOLIDATION COAL COMPANY**  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

**CONSOLIDATION COAL CO.**  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
WALLACE 7.5'  
Well Location  
GRANT  
District  
WETZEL  
County  
7113  
Well No.  
**CONSOLIDATION COAL COMPA**  
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Jacob ...*  
AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

**MICHAEL CAMPBELL** and **STEPHAN MOATS** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 17<sup>th</sup> day of July, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
<b>Formation</b>				
Cleaned 12 1/4" hole from Surface to 524'. Tagged top of 10 3/4" casing at 524'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 524' to 1288'. Tagged top of 8 5/8" casing at 1288'. Removed 202' of 8 5/8" casing from 1288' to 1490'. Continued to clean 9 7/8" hole from 1288' to 1490'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1490' to 1903'. Tagged bottom hole plug at 1903'. Left 39' of 10 3/4" casing in the hole from 524' to 563'. Left 262' of 8 5/8" casing in the hole from 1490' to 1752'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1273' to 1280'.		16" Conductor	0'	20'
		10 3/4" Casing	0'	39'
		8 5/8" Casing	202'	262'
<b>Cemented hole from 1903' back to surface as follows:</b> From 1903' to 1480' with 100 sacks of Expandable Cement. From 1480' to 1173' with 155 sacks of Thixotropic Cement with dye. From 1173' back to the Surface with 515 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.				
<b>Coal Seams</b>		<b>Description of Monument</b>		
<b>Pittsburgh</b>	<b>(1273' - 1280')</b>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

Received  
Office of Oil & Gas  
OCT 07 2014

... and that the work of plugging and filling said well was completed on the 16<sup>th</sup> day of August, 2014


And further deponents saith not.

*Michael Campbell*  
Michael Campbell  
*Stephan C. Moats*  
Stephan Moats

Sworn to and subscribed before me this 1 day of October 2014

*Kara Beth Forst*  
Notary Public

My commission expires: 11/4/23



Permit No. 47-103-03013-P  
Well No. 7113

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Coal Operator or Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address  
CONSOLIDATION COAL COMPANY  
Lease or Property Owner  
1 BRIDGE STREET MONONGAH, WV 26554  
Address

CONSOLIDATION COAL CO.  
Name of Well Operator  
1 BRIDGE STREET MONONGAH, WV 26554  
Complete Address  
WALLACE 7.5'  
Well Location  
GRANT  
District  
WETZEL  
County  
7112  
Well No.  
CONSOLIDATION COAL COMPA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING

*James Unholzer*  
AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

ROGER MOORE and STEPHAN MOATS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 30<sup>th</sup> day of July, 2014 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleansed 12 1/4" hole from Surface to 516'. Reduced hole to 9 7/8". Cleansed 9 7/8" hole from 516' to 1281'. Tagged top of 8 5/8" casing at 1281'. Cleansed 9 7/8" hole through the Pittsburgh Coal seam from 1241' to 1248'. Reduced hole to 7 7/8". Cleansed 7 7/8" hole from 1281' to 2288'. Reduced hole to 6 1/4". Cleansed 6 1/4" hole from 2288' to 2291'. Removed 179' of 8 5/8" casing from 1281' to 1460'. Left 274' of 8 5/8" casing in the hole from 1460' to 1734'.		16" Conductor	0'	20'
		8 5/8" Casing	179'	274'
<b>Received Office of Oil &amp; Gas OCT 07 2014</b>				
<b>Cemented hole from 2291' back to surface as follows:</b>				
From 2291' to 1432' with 175 sacks of Expandable Cement. From 1432' to 1123' with 160 sacks of Thixotropic Cement with green dye. From 1123' back to the Surface with 545 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.				
<b>Coal Seams</b>		<b>Description of Monument</b>		
Pittsburgh	(1241' - 1248')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 22<sup>nd</sup> day of August, 2014

And further deponents saith not.

*Roger Moore*  
Roger Moore  
*Stephan E Moats*  
Stephan Moats

Sworn to and subscribed before me this 29 day of September 2014

*Kara Beth Ford*  
Notary Public

My commission expires: 11/4/23



Permit No. 47-103-03018-P  
Well No. 7112